


LUGE RAIL



Collection




explore a multitude
of components and
add-ons...






customizable
lighting, never
seen before





variations
limited only
by your imagination



Office





Museum






Retail Store







break free from
the traditional
constraints of design
with flexible lighting





INTEGRATION:

LUCE Rail connecting to LUCE Bridge

PRODUCT:

Multi-track connector



PRODUCT:


Suspension Kit Rail



PRODUCT:
Loop Base Rail

PRODUCT:
Tension Base Rail







Example 1

Product List



1

LR-SJQ

Tension Base Rail x2



2

LR-ZL

Loop Base Rail x2



3

LR-004

Suspension Kit Rail x3



4

LR-XTD-R48T-D-40W

LINEAR Blade Rail x4



5

LR-G18-1000-100W

TUBE Rail x1



Example 2

Product List



1

LR-SJQ

Tension Base Rail x8



2

LR-ZL

Loop Base Rail x4



3

LR-DD2-7W

CONE Pendant 2 Rail x16



Layout Example 3

Product List



1

LR-SJQ

Tension Base Rail x8



2

LR-ZL

Loop Base Rail x4



3

LR-004

Suspension Kit Rail x16



4

LR-DD2-7W

CONE Pendant 2 Rail x4



5

LR-G18-1000-100W

TUBE Rail x1



6

LR-SD4-10W

CLUB Zoom Spot Rail x1

LUCE RAIL

LUCE Rail is revolutionary technology, that isn't compatible with just any light. Below you will find all of the lighting currently available for the LUCE Rail range, from spot lights to pendant lights and many more options that will allow you to unleash your creativity, and fill your space with unlimited designs.



LINEAR Blade Rail

Model	LR-XTD-R24T-D-20W	20W	502*26*57mm
	LR-XTD-R48T-D-40W	40W	933*26*57mm
	LR-XTD-R84T-D-70W	70W	1580*26*57mm
	LR-XTD-R108T-D-90W	90W	2011.5*26*57mm

Angle	24°/36°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



LINEAR Diffuser Rail

Model	LR-XTM-2J-D-20W	20W	502*26*57mm
	LR-XTM-4J-D-40W	40W	933*26*57mm
	LR-XTM-7J-D-70W	70W	1580*26*57mm
	LR-XTM-9J-D-90W	90W	2011.5*26*57mm

Angle	100°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



LUNA Spot Rail

Model	LR-SP-011-12W	12W	D50*130mm
	LR-SP-012-18W	18W	D65*156mm
	LR-SP-013-24W	24W	D76*182mm

Angle	15°/24°/36°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



MILA Spot Rail

Model	LR-SP-021-6W	6W	D45*100mm
	LR-SP-022-12W	12W	D55*115mm
	LR-SP-023-18W	18W	D65*135mm

Angle	15°/24°/36°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



ZOOM Spot Rail

Model	LR-SP-032-10W	10W	D55*115mm
	LR-SP-033-18W	18W	D65*135mm

Angle	Adjustable 10°-55°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



MILA Blade Rail

Model	LR-BXQD-21-6W	6W	L112*W23*H87mm
	LR-BXQD-22-12W	12W	L220*W23*H87mm

Angle	24°/36°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



MILA Diffuser Rail

Model	LR-BXQM-11-6W	6W	L118*W23*H87mm
	LR-BXQM-12-12W	12W	L231*W23*H87mm

Angle	100°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



THEO Spot Rail

Model	LR-HM-Y075-10W	10W	D75*35mm
	LR-HM-Y105-18W	18W	D105*35mm

Angle	24°/50°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



THEO Beam Spot Rail

Model	LR-HM-F075-8W	8W	D75*32mm
	LR-F105-18W	18W	D105*32mm

Angle	24°/38°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



SNAP Spot Rail

Model	LR-DW02-R72-12W	12W	D72*H108mm
	LR-DW02-R92-18W	18W	D92*H130mm

Angle	15°/24°/36°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



BOX Spot Rail

Model	LR-HM-F093-18W	18W	93*93*47mm
-------	----------------	-----	------------

Angle	15°/24°/38°/60°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



SNAP Fixed Spot Rail

Model	LR-DW01-R55-6W	6W	D55*100mm
	LR-DW01-R75-12W	12W	D75*130mm
	LR-DW01-R94-18W	18W	D94*150mm
	LR-DW01-R115-24W	24W	D115*160mm

Angle	15°/30°/45°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



NOVA Frame Rail

Model	LR-CG-048-12W	12W	D48*185mm
-------	---------------	-----	-----------

Angle	Adjustable 19.5°-34°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



LUCE Rail Support

Model	LR-TDT-1m-2X	/	167*33.5*42mm
	LR-TDT-1m-4X	/	D32.3*65mm

Angle	/
CRI	/
CCT	/
Material	PC



ARIA Spot Rail

Model	LR-SP-PZ80-24W	24W	D80*150mm
-------	----------------	-----	-----------

Angle	24°/36°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



AURA Ball Rail

Model	LR-YQ100Q-6W	6W	D100*100mm
Angle	100°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum		



AURA Ball Spot Rail

Model	LR-YQ110S-12W	12W	
Angle	24°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum		



TUBE Rail

Model	LR-G18-250A-21W	21W	Φ18mm*L2.5m
	LR-G18-300-27W	27W	Φ18mm*L3m
	LR-G18-400-37W	37W	Φ18mm*L4m
	LR-G18-500-48W	48W	Φ18mm*L5m
	LR-G18-1000-100W	100W	Φ18mm*L10m
	LR-G22-250	23W	Φ32.5*2500mm

Angle	360°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum+Silicone



TUBA Pendant Rail

Model	LR-CD-01-5W	5W	D40*203mm
-------	-------------	----	-----------

Angle	24°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K Iron
Material	+Aluminum



SATELLITE Pendant Rail

G005

G009

Model	LR-BD-3W G005 for LR-BD-3W G009 for LR-BD-3W	3W / /	D60*53mm D12mm D12mm
-------	--	--------------	----------------------------

Angle	180°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum+Acrylic / Glass / Glass



CONE Pendant Rail

Model	LR-CD-02S-6W	6W	Φ84*75mm
-------	--------------	----	----------

Angle	24°/36°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminium + Acrylic



ORBI Pendant Rail

Model	LR-CD-03-6W	6W	Φ85*75mm
Angle	24°/36°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum		



PARC Pendant Rail

Model	LR-CD-04-6W	6W	D80*120mm
Angle	45°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum		



SHUTTLE Pendant Rail

Model	LR-CD-05-6W	6W	D60*120mm
Angle	24°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum		



KINI Pendant Rail

Model	LR-CD-06-6W	6W	D100*100mm
Angle	50°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum		



BALL Pendant Rail

Model	LR-CD-07-12W	12W	D100*100mm
Angle	Adjustable 10-55°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum		



CONE Pendant 2 Rail

Model	LR-DD2-7W	7W	Φ195*180mm
Angle	180°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K PC		
Material	shape+Aluminum		



PICO Spot Rail

Model	LR-SD1-7W	7W	Φ55*80mm
	LR-SD1-10W	10W	Φ67*93mm

Angle	24°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



CLUB Spot Rail

Model	LR-SD2-7W	7W	Φ45*100mm
	LR-SD2-12W	12W	Φ55*120mm
	LR-SD2-18W	18W	Φ65*140mm

Angle	24°
CRI	Ra≥90
CCT	3000K / 3500K / 4000K / 5000K
Material	Aluminum



CLUB Rail

Model	LR-SD3-10W	10W	Φ55*130mm
	LR-SD3-18W	18W	Φ65*156mm
	LR-SD3-24W	24W	Φ75*180mm
Angle	24°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum		Nova Spot 2



CLUB Zoom Spot Rail

Model	LR-SD4-10W	10W	Φ55*135mm
	LR-SD4-18W	18W	Φ65*165mm
	LR-SD4-24W	24W	Φ80*190mm
Angle	Adjustable 20-55°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum		



MEDO Pendant Rail

Model	LR-DD1-7W	7W	Φ55*80mm
Angle	24°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum		



MEDO Cone Rail

Model	LR-DD3-7W	7W	Φ70*110mm
Angle	24°		
CRI	Ra≥90		
CCT	3000K / 3500K / 4000K / 5000K		
Material	Aluminum		

DIVA LUCE

light & form

www.divaluce.com

LUCE RAIL